

Figure 1

		/	
	0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9	0 1 2 3 4 5 6 7 8 9 0	1
HEM	Client IP address		•
	301 304		
	FIGURE 3A		
	SBM RESPONSE PACKET	312	
_	0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9	0 1 2 3 4 5 6 7 8 9 0	1
HEROS	究 SBM address	314	
301	Port number 316 reqSeqNi	um	-
	Figure 36		
	SBM RESERVE/MODITY PACKET	322	
	0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1	2345678901	
ADEN	Call Family unused		
301	Conference ID	*	
		326	
	endpoint identifier	2. 0	

MOETED" OZGITADOC

FIGURE 3C

Bandwidth Req.

330

 $\begin{smallmatrix}0&&&1&&&2\\0&-1&2&3&4&5&6&7&8&9&0&1&2&3&4&5&6&7&8&9&0&1&2&3&4&5&6&7&8&9&0&1\end{smallmatrix}$

Acaroen	Call Family	unused	reqSeqNum	
301	33	4	Conference ID	•
	8	•		336
-		endpoi	nt identifier	328

FLAURE 3d


SBM RESTECTION PACKET

		4	Ms		
		0 1 2 3 4 5 6 7 8 9 0 1 2 3 4 5 6 7 8 9 0 1 2	 23456	3 7 8 9 0	1
ū	Homer	Call Family RejectCode reqSeqNum			+
	301	λου λου Conference ID	· 		-+
Į Į			346		+
					-+
[1] -1		endpoint identifier	348		†
W O M		Bandwidth available	350		- †

FIGURE 3e

	38M DISTANGAGE VALUET 372
	$\begin{smallmatrix}0&&&1\\0&1&2&3&4&5&6&7&8&9&0&1&2&3&4&5&6&7&8&9&0&1&2&3&4&5&6&7&8&9&0&1\end{smallmatrix}$
Hensen	Call Family unused
361	354 Conference ID
	endpoint identifier 3 <u>5</u> §

FIGURE 35



FLGURE 3g

SEETED" GZETHOED